

Seam Master Industries



5211 SOUTHERN AVENUE
SOUTH GATE,
CALIFORNIA 90280-3695

MATERIAL SAFETY DATA SHEET

FOR HEALTH HAZARD INFORMATION OR EMERGENCY ASSISTANCE
CALL (323) 569-7171 (800) 255-1401 FAX:(323) 569-3040

SECTION I IDENTIFICATION

PRODUCT NAME: HOT MELT CARPET SEAMING TAPES
 PROPER SHIPPING NAME (49 CFR 172.101): NA
 D.O.T. HAZARD NAME (49 CFR 172.101): NA
 D.O.T. I.D. NO. (49 CFR 172.101): NA
 D.O.T. HAZARD CLASS (49 CFR 172.101): NA
 RCRA HAZARD CLASS (40 CFR 261): NA
 E.P.A. PRIORITY POLLUTANTS (40 CFR 122.53): NONE
 CAS NO.: MIXTURE

SECTION II INGREDIENTS

HAZARDOUS:

NONE

NON HAZARDOUS:

RESIN, POLYMERS, INERT INGREDIENTS

SECTION III PHYSICAL DATA

BOILING POINT - NONE	VOLATILITY BY VOLUME-0
SPECIFIC GRAVITY - 0.96	EVAPORATION RATE-0
VAPOR PRESSURE - NA	SOLUBILITY IN WATER - INSOLUBLE
VAPOR DENSITY - NA	ODOR AND APPEARANCE - MILKY WHITE TO REDDISH BROWN SOLID. NO ODOR.

SECTION IV HEALTH HAZARD DATA

PRIMARY ROUTE OF ENTRY: NA
 EFFECTS OF OVEREXPOSURE: NONE KNOWN
 MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: NONE KNOWN

MATERIAL SAFETY DATA SHEET (PAGE 2 OF 3 PAGES)

CARCINOGENICITY: This products contains no carcinogens as listed by NTP, IARC and OSHA.

TOXICITY: NA

EXPOSURE LIMITS: NA

EMERGENCY AND FIRST AID PROCEDURES:

INHALATION: No known health hazard exists, however it is recommended that this product be used with good ventilation.

EYES: Flush with large amounts of water. Contact physician if irritation persist.

SKIN: If burned by contact with molten material. Cool as quickly as possible with water. Burns should be treated as thermal burns. The plastic will come off as healing occurs, therefore immediate removal from the skin is not necessary. Wash with soap and water.

INGESTION: If patient is conscious, induce vomiting and give large amounts of water.

SECTION V FIRE AND EXPLOSION HAZARD DATA

FLASH POINT (c.c.) NA

FLAMMABLE LIMITS IN AIR, % BY VOLUME: LOWER - NA
UPPER - NA

EXTINGUISHING MEDIA: Foam, water, dry chemicals.

SPECIAL FIRE FIGHTING PROCEDURES: Use water to cool exposed surfaces.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None known

SECTION VI REACTIVITY DATA

STABILITY: Stable, but avoid excessive heat.

INCOMPATIBILITY (MATERIALS TO AVOID): Strong Oxidizers,

DECOMPOSITION PRODUCTS: Over heating may result in decomposition containing monomers, carbon monoxides, nitrogen oxides and hydrocarbons.

SECTION VII SPILL, LEAK AND DISPOSAL PROCEDURES

SPILLS: NA

LEAKS: NA

WASTE DISPOSAL METHOD: Scrape or wipe up material and discard or dispose according to Federal, State and local regulations. It is non hazardous and may be treated as sanitary waste.

SECTION VIII SPECIAL PROTECTION DATA

RESPIRATORY PROTECTION: Not required

VENTILATION: Normal room ventilation with fans if necessary.

MATERIAL SAFETY DATA SHEET (PAGE 3 OF 3 PAGES)

PROTECTIVE GLOVES: Not required.
EYE PROTECTION: Safety glasses recommended.
OTHER: Not required.

SECTION IX SPECIAL PRECAUTIONS

Avoid excessive heat and freezing.
Keep out of reach of children.
Read manufacturers recommended procedures.

The information presented herein is believed to be factual as it has been derived from the works and opinions of persons believed to be qualified experts; however , nothing contained in this information is to be taken as a warranty or representation for which SEAM MASTER INDUSTRIES bears legal responsibility. The user should review any recommendations in the specific context of the intended use to determine whether they are appropriate.

PREPARED BY: Richard C. Kahrs

DATE: 11-18-2004

SUPERSEDES Seventh Issue